5

15

25

Claims

- 1. An electroluminescent material which emits light in the ultra-violet region of the spectrum which comprises an organic metallic complex of a transition metal, lanthanide or actinide and a polyamine ligand.
- 2. An electroluminescent material as claimed in claim 1 in which the metal is gadolinium in the III state.
- 3. An electroluminescent material as claimed in claim 1 or 2 in which the ligand is ethylene diamine tetramine, DCTA, DTPA or TTHA.
 - 4. An electroluminescent material as claimed in claim 3 in which the complex is in the form of a salt.
 - 5. An electroluminescent material as claimed in claim 4 in which the complex is in the form of an alkali metal salt
- 6. An electroluminescent material as claimed in claim 4 in which the salt is a transition metal, lanthanide or actinide salt
 - 7. An electroluminescent material as claimed in claim 4 in which the salt is Ln*[Ln(EDTA)]₃ where Ln and Ln* is selected from transition metals, lanthanides and actinides.
 - 8. An electroluminescent material as claimed in claim 7 in which Ln and Ln* is selected from Gd, Sm, Eu, Tb, Dy.
- 9. An electroluminescent material as claimed in any one of claims 1, 4 or 5 in which30 the metal complex is Gd[Eu(EDTA)]_{3.}

- 10. An electroluminescent device which comprises a transparent substrate on which is deposited an electroluminescent material as claimed in any one of the preceding claims.
- 5 11. An electroluminescent device as claimed in claims 1 to 10 in which the transparent substrate is a conductive glass or plastic material which acts as the anode.
 - 12. An electroluminescent device as claimed in any one of claims 10 to 11 in which there is a hole transporting layer deposited on the transparent substrate and the electroluminescent material is deposited on the hole transporting layer.
 - 13. An electroluminescent device as claimed in any one of claims 10 to 12 in which there is a hole transporting material mixed with the electroluminescent material in a ratio of 5 to 95% of the electroluminescent material to 95 to 5% of the hole transporting compound.
 - 14. An electroluminescent device as claimed in claim 12 or 13 in which the hole transporting layer is an aromatic amine complex.
- 20 15. An electroluminescent device as claimed in claim 14 in which the hole transporting layer is poly(vinylcarbazole), N,N'-diphenyl-N,N'-bis (3-methylphenyl) -1,1'-biphenyl-4,4'-diamine (TPD) or polyaniline.
- 16. An electroluminescent device as claimed in any one of claims 11 to 15 in which there is a metal anode in contact with the electroluminescent material.
 - 17. An electroluminescent device as claimed in any one of claims 10 to 16 in which there is a layer of an electron injecting material between the cathode and the electroluminescent material layer

10

15

- 18. An electroluminescent device as claimed in any one of claims 10 to 17 in which an electron injecting material is mixed with the electroluminescent material and codeposited with it.
- 19. An electroluminescent device as claimed in claim 17 or 18 in which the electron injecting material is a metal complex or oxadiazole or an oxadiazole derivative.
 - 20. An electroluminescent device as claimed in claim 19 in which the electron injecting material is an aluminium quinolate or 2-(4-biphenyl)-5-(4-tert-butylphenyl)-1,3,4 oxadiazole.
 - 21. An electroluminescent device as claimed in any one of the preceding claims 10 to 20in which the anode is a metal.
- 22. An electroluminescent device as claimed in claim 21 in which the anode is a aluminium, magnesium, lithium, calcium or a magnesium silver alloy.
 - 23. An electroluminescent device as claimed in any one of the preceding claims 10 to 22 in which there are a plurality of layers of electroluminescent material.
 - 24. An electroluminescent device as claimed in any one of the preceding claims 10 to 23 in which there is a layer or layers which incorporates a dye which fluoresces in ultra-violet light to give emitted light in the colour spectrum.

20

10